line 3, after "of" insert --the--;

line 5, change "means" to --system--.

IN THE CLAIMS

Please amend claims 1-8 by rewriting same to read as follows.

--1. (Amended) A network system [to be] connected to a terminal device and a network server via [the] a predetermined communication [means] system, comprising:

[said terminal device] means for transmitting [the] user specific information and [the] information of said terminal device [to be] used by [said] a user as the user specific information when the user uses said terminal device, wherein said means for transmitting is part of said terminal device; and

[said network server to specify] means for specifying said terminal device being used by said user by memorizing said specific information, wherein said means for specifying is part of said network server.

--2. (Amended) The network system according to claim 1, wherein

said terminal device [comprising an] further comprises interface means equipped with [the] memory

2

means in which said user specific information is stored, and said means for transmitting transmits said specific information to said network server when said memory means is loaded.

--3. (Amended) The network system according to claim 2, wherein[:]

said [terminal device] means for transmitting transmits information showing [the] completion of [said] a user operation to said network server when said memory means is extracted from said interface means.

--4. (Amended) A terminal device [to be connected] for connection to [the] a network server via [the] a predetermined communication [means] system, comprising:

means for connecting said terminal device to said network server; and

[a] specific information transmission means for transmitting [said] user specific information and [said] terminal device specific information to said network server as [the] specific information [in the case where the] when a user uses said terminal device.

3

--5. (Amended) The terminal device according to claim 4, _further_ comprising[:

an] interface means equipped with memory means in which said user specific information is stored[; and characterized by:] , wherein

said terminal device transmits said specific information to said network server when said memory means is loaded.

--6. (Amended) The terminal device according to claim 5, wherein

said terminal device transmits information showing [the] completion of [said] a user operation when said memory means is extracted from said interface means.

--7. (Amended) A network server [to be connected] _for connection_ to [the] a terminal device via [the] a predetermined communication [means] _system_, comprising:

[a] specific information receiving means for receiving [said] specific information formed of [said] user specific information and [said] user using terminal device specific information [to be] transmitted from said terminal device when [the] a user uses said terminal device;

4